

Response Under 37 CFR 1.116
Expedited Procedure
Examining Group 3724

Remarks

The clerical errors according to paragraphs 5, 6 and 7 of page 3 of the Office Action have been corrected.

To overcome the objection that an ejector position is vague we have deleted this term.

The feature "programmable control wherein the cut-off lengths of tubular sleeves is freely settable" is disclosed in the originally filed claim 1.

To overcome the objection with respect to "by moving along said slide" we have deleted "along". This present wording is also disclosed by the originally filed claim 1.

We have further added "driver element engaging with the ejector". The driver element is mentioned in the originally filed claim 3. It is also disclosed in the originally filed description on page 3, third paragraph, lines 2 to 4.

We have further added "to strip off the tubular sleeves". This is disclosed in the originally filed description on page 2, third paragraph, lines 10 and 11.

The Abstract of the Disclosure is amended to remove the word "said" and to make some additional clarifications.

Brodbeck (MM) 53 928 09/551,252
Amendment after Final Action in response to Office Action mailed March 10, 2005
Submitted June 1, 2005 by FAX

6

BEST AVAILABLE COPY

07/10/2005 11:34 FAX 5053230865


M OBERT KESTENBAUM

011

Response Under 37 CFR 1.116
Expedited Procedure
Examining Group 3724


Wherefore further consideration and allowance of the application as amended is
respectfully requested.

Respectfully submitted,



M. Robert Kestenbaum
Reg. No. 20,430
11011 Bermuda Dunes NE
Albuquerque, NM USA 87111
Telephone (505) 323-0771
Facsimile (505) 323-086

I hereby certify this correspondence is being submitted to Commissioner for Patents,
Washington, D.C. 20231 by facsimile transmission on June 1, 2005, fax number (703)
872-9306.



M. Robert Kestenbaum

Brodbeck (MM) 53 928 09/551,252

Amendment after Final Action in response to Office Action mailed March 10, 2005

Submitted June 1, 2005 by FAX

7